

Retail Food Establishment Inspection Report

Floyd County Health Department Telephone:812-948-4726 Y674

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

				I m 1 1 2 1	D-467		DEED STOP #	
Establishme	ent Name	$\overline{}$	1 + 2111116	Telephone Number	(mm/dd/yr)		PERMIT #	
,		\mathcal{O}	ubway #24446	8/2-949-9050			18-	
Establishme	ent Addres	s (nu	mber and street, city, state, zip code)	T OVA NACO	6-14	-19		
244	11 0	Lit	e St New Albany, IN 47150	812-949-9050	ט ני	, ,	250	
	1 0	141	+ 37 /VEW MEWAY, 270 111-5		73.11	Inc	<u> </u>	
Owner	αI	_	Patel	Purpose:	Follow-up Release Date			
	Cha	Γυ	1 MATE!	1. Routine	NO Today			
Owner's Ac			4 - 4	2. Follow-up	Summary of Violations:			
2 U	41 3	$^{1}L_{\lambda}$	te St		Buttimary of Violations.			
		Tu	70 01	3. Complaint	1	. /		
Person in C	narge / '	Γ	0 1/1	4. Pre-Operational	$\begin{bmatrix} c & 1 \end{bmatrix}$ NC 6 R $\begin{bmatrix} 2 & 1 \end{bmatrix}$			
	Lati	Γ	Barket	5. Temporary				
Responsible	Person's	E-ma	il	3. Temporary	Menu Type (See back of page)			
l				6. HACCP				
Certified Fe	ad Mara			7. Other (list)		1/2	4 =	
Cerunea re	DOU AYLAMAŞ	ger L	Purna Patel 7-1-21		1²,	<u> </u>	_45	
		<u> </u>	urna later 1-121				*	
• CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"								
• VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"								
Section#	C/NC	R	Narrative			To Be Co	orrected By	
242			06canal [1] 1 8 CA	10 / 10 / 10				
343	<u> </u>	<u> </u>		oon in handw	us mng	tod	a y	
		-	Sink Sink is for han	dwashing only	/		,	
17/1	NC		1 1	, , , , , , , , , , , , , , , , , , , 	, ,	. L. 1	/	
179	<i>N C</i>	<u> </u>	Observed no label on water spray bottle. today					
324	NC		Observed drainage basin under drink noz-les today					
• • •	70 -			<u> </u>		, - 0		
			not draining.					
416	NC		Observed dead insects in light shields 3 days					
	1	in Vilebra & Character						
			in Kitchen & Storage.					
422	NC		Observed employee food not clearly 2 days					
<u> </u>		1		(<i>t</i>	
		├	separated and lubeled.			1		
1433	NC	R	Observed mop not hung	to dry.	•	todo	<i>V</i>	
431	NC							
731	100							
	Under drink machine from overflow.							
		R on bottom shelf of prop toble.						
	-	├	3 32 1000 C/V m & C 0000	p/2/2 3/4 x	-	<u> </u>	~ 4 -	
			4 on bottom shelt	of prop to	sle.			
	_			,				
<u> </u>	-	+-					i	
'		Ŀ			<u> </u>	*		
				•		•	* *	
Received by (name and title printed): Inspected by (name and title printed):								
LATIF BAPKAT Thomas Snider, EHS								
Descripted by (signature)								
Received by (signature): Thomas Index								
The Supersample								
cc:			/ cc;		cc:			
			/					